

TECHNICAL SPECIFICATIONS


SpanSafe® Barriers

SpanSafe® Wall Mount Expandable

10 YR
WARRANTY

SAFETY & SECURITY

- Available Heights: 1000, 1500 and 2000mm (measurements refer to tube lengths)
- Available Widths: 2, 4, 6 and 8m
- Tube Material: Aluminium 25 x 25mm SHS (square hollow section) – 1.4mm wall thickness
- Tube Finish: Yellow powdercoat (Dulux Clough Safety Yellow)
- Start/End Pole Material: Mild Steel – 1.6mm wall thickness, zinc plated finish
- Wall Bracket: Mild Steel – zinc plated, with powdercoat finish
- Gap Under Barrier: 167mm
- Wheels: Ø85mm locking castor (end pole) and Ø155mm plastic wheel (plain bearing secured with Nylock nut)
- Environment: Suitable for indoor and outdoor. Ask us about wind exposure.



Options

Code	Description	Tube Length (mm)	End Pole Height (mm)	Width When Closed (mm)	Barrier Height (mm)	Finish
2714-142	SpanSafe Wall Mount, 2m	1000	1250	320	Closed: 1180, Extended: 1040	Yellow
2714-144	SpanSafe Wall Mount, 4m	1000	1250	500	Closed: 1180, Extended: 1040	Yellow
2714-161	SpanSafe Wall Mount, 6m	1000	1250	680	Closed: 1180, Extended: 1040	Yellow
2714-162	SpanSafe Wall Mount, 8m	1000	1250	860	Closed: 1180, Extended: 1040	Yellow
2714-159	SpanSafe Wall Mount, 2m	1500	1750	320	Closed: 1680, Extended: 1540	Yellow
2714-146	SpanSafe Wall Mount, 4m	1500	1750	500	Closed: 1680, Extended: 1540	Yellow
2714-148	SpanSafe Wall Mount, 6m	1500	1750	680	Closed: 1680, Extended: 1540	Yellow
2714-163	SpanSafe Wall Mount, 8m	1500	1750	860	Closed: 1680, Extended: 1540	Yellow
2714-169	SpanSafe Wall Mount, 2m	2000	2250	320	Closed: 2180, Extended: 2040	Yellow
2714-170	SpanSafe Wall Mount, 4m	2000	2250	500	Closed: 2180, Extended: 2040	Yellow
2714-171	SpanSafe Wall Mount, 6m	2000	2250	680	Closed: 2180, Extended: 2040	Yellow
2714-233	SpanSafe Wall Mount, 8m	2000	2250	860	Closed: 2180, Extended: 2040	Yellow

Components


Code	Description
2714-165	SpanSafe Gate Mounted Drop Latch
2714-166	SpanSafe Short Latching Bracket (large hole)
2714-157	SpanSafe Replacement Standard Latching Bracket (large hole)
2714-156	SpanSafe Replacement Wall Bracket (small hole)
2714-158	SpanSafe Replacement Wall Mounted Drop Latch
2714-002	Barrier Pole-To-Pole Joiner Kit (combines 2714-157 & 2714-158)

VIEW ONLINE




TECHNICAL SPECIFICATIONS


SpanSafe® Wall Mount Expandable Barrier



SpanSafe Wall Mount Expandable Barrier, 1000mm x 4m wide (2714-144)



SpanSafe Wall Mount Expandable Barrier, 1500mm x 4m wide (2714-146)




SpanSafe Wall Mount Expandable Barrier, 2000mm x 4m wide (2714-170)


TECHNICAL SPECIFICATIONS

SpanSafe® Wall Mount Expandable Barrier


Wall Bracket, small hole (2714-156)
2 supplied with every barrier




Standard Bracket and Latch Locking System
1 set supplied with every barrier



Wall Mounted Drop Latch
(2714-158)




Standard Latching Bracket,
large hole (2714-157)




Engaged Lock
Available as a complete set:
Barrier Pole-To-Pole Joiner Kit
(2714-002)


Latch to Join Two Barriers Together (optional extra)



Gate Mounted Drop Latch
(2714-165)



Short Latching Bracket, large hole,
pole mounted (2714-166)



Engaged Lock